

| | | | | | | | |
|--------------------------------------|--|--|--|-------------------------------------|--|--------------------|--|
| PROJECT: Conrad Hotels | | EMPLOYER: CONRAD HOTELS | | No. CN-DELTA-A-MAR-P2-039 | | REV-0 | |
| CONTRACTOR: ادسكو EDSCO | | ENGINEER: RECEIVED Erga SAUDI | | Project No. Conrad | | 17 SEP 2024 | |
| | | CONSULTANT: erga GROUP Saudi branch | | | | | |
| MATERIAL APPROVAL REQUEST | | | | | | | |

| | | | | |
|--------------------------------|---|-------------------------------------|-------------------------------------|--------------------------------|
| DISCIPLINE: | | | | |
| Civil <input type="checkbox"/> | Architectural <input checked="" type="checkbox"/> | Electrical <input type="checkbox"/> | Mechanical <input type="checkbox"/> | Other <input type="checkbox"/> |

| LOCATION | ZONE | LOT | BLOCK | BLDG | FLOOR | AXES | DWG. |
|----------|------|-----|-------|------|---------|------|------|
| VARIOUS | | | | | VARIOUS | | |

| | | | |
|---|--|---|---|
| The material submitted for approval has been checked for conformity with drawings and specifications and any deviations noted herein: | | | |
| Material Description: | | BRASS TRANSITION STRIPS | |
| | | 1. 2.8mm Thick Brass Transition Strip 2. 10mm Thick Brass Transition Strip 3. 10mm Thick Neoprene Rubber Movement Joint | |
| Type of Material: | | FINISHES | |
| Drawing Reference: | | IFC & ID DRAWINGS (Package-02) | |
| Specification Clause: | | 09.30.00 | |
| Fixing Location: | | (ADD, Meeting Rooms, Executive Lounge, Speciality Restaurant, Spa & Gym) | |
| Technical Literature Attached | | YES <input checked="" type="checkbox"/> | NO <input type="checkbox"/> |
| Sample Attached | | YES <input checked="" type="checkbox"/> | NO <input type="checkbox"/> |
| Compliance Sheet Attached | | YES <input checked="" type="checkbox"/> | NO <input type="checkbox"/> |
| Manufacturer: | | ORBIT PROFILES | |
| Country of Origin: | | KSA | |
| Supplier: | | ORBIT PROFILES | |
| Type of Shipment | | Land <input checked="" type="checkbox"/> | Sea <input type="checkbox"/> Air <input type="checkbox"/> |
| Anticipated Period of delivery from placing order: | | 30 Days | |
| Anticipated period when material to be used on site: | | | |
| Submitted By: Engr. Ashraf Sabry / Hyder Ali | | Date: 11-9-2024 | Signature: |

| | | | |
|---|---|---|--|
| COMMENTS: | | | |
| comply to the finish to follow the same zone after polishing to be retouched matching to the ID(LW) conformity technical specifications approved is the responsibility of the contractor. | | | |
| Global Status: | <input type="checkbox"/> A= Approved | <input checked="" type="checkbox"/> AAN=Approved as Noted | <input type="checkbox"/> R&R=Revise, Re-Submit |
| | <input type="checkbox"/> NAR=Not Approved, Resubmit | <input type="checkbox"/> R=Rejected | <input type="checkbox"/> NFD=Need Further Detail |
| | | | <input type="checkbox"/> CA=Conditional Approval |
| | | | <input type="checkbox"/> NFI=Noted for info |
| Reviewed By: waleed Anara | | Date: 16/9/2024 | Signature: |

| | | |
|--------------|-------------------|------------|
| Received By: | Date: 19 SEP 2024 | Signature: |
|--------------|-------------------|------------|





ARCHITECTURAL

CONSULTANT

RESPONSE ON RFI

FOR

BRASS TRANSITION STRIPS

FROM

(ORBIT PROFILES)

CONRAD HOTEL

RIYADH

| | | |
|----------------------------------|--|--|
| PROJECT: Conrad Hotels | EMPLOYER: | No. RE-V-0 CN-DELTA-A-RFI-P2-009 |
| CONTRACTOR: | ENGINEER: Eng. Ahmed Eld CONSULTANT: | RECEIVED |
| REQUEST FOR INFORMATION | | |

| | | | | |
|--------------------------------|---|-------------------------------------|-------------------------------------|--------------------------------|
| Type of Submittal: | | | | |
| Civil <input type="checkbox"/> | Architectural <input checked="" type="checkbox"/> | Electrical <input type="checkbox"/> | Mechanical <input type="checkbox"/> | Other <input type="checkbox"/> |
| Other (Specify): | | | | |

| | |
|--|---|
| Information Required: | RFI FOR TRANSITION STRIPS FINISHING PACKAGE-02 |
| Please we need clarification for Transition Strips finishing for FOH to be followed for Package-02 | |
| 1. Stainless steel OR 2. Brass finish | |
| Locations: Lobby, ADD, Meeting Rooms, Executive Lounge, Specialty Restaurant, Spa & Gym. | |
| Attachments: Attached BOQ reference & ID Drawings for your ease reference. | |

| | |
|--|-------------------------|
| EDSCO Representative: Eng. Ashraf Sabry | Date: 20-08-2024 |
| EDSCO PM: Eng. Hazem Salah | Date: 20-08-2024 |

| | |
|---|--|
| COMMENTS: | <p>all marble floors transition strips to be <u>BRASS</u> and finish to follow finishes schedule</p> <p>after polishing, strips to be re touched up to match the approved finish</p> |
| Tick if additional comments or sketches are attached to this form | |

| | | | |
|--|---|--------------------------------------|--------------------------------|
| Document <input checked="" type="checkbox"/> | Sketch / Drawing <input type="checkbox"/> | Test Result <input type="checkbox"/> | Other <input type="checkbox"/> |
|--|---|--------------------------------------|--------------------------------|

| | |
|--|----------------------|
| Other (Specify): | |
| Engineer: | Date: 27 8 24 |
| This request is for information shall not authorize any change to the Contractor or constitute a variation to the Contract Sum or duration | |



ARCHITECTURAL

MATERIAL SUBMITTAL

FOR

BRASS TRANSITION STRIPS

FROM

(ORBIT PROFILES)

CONRAD HOTEL

RIYADH



ARCHITECTURAL

BOQ

FOR

BRASS TRANSITION STRIPS

FROM

(ORBIT PROFILES)

CONRAD HOTEL

RIYADH



ARCHITECTURAL

COMPLIANCE SHEET

FOR

BRASS TRANSITION STRIPS

FROM

(ORBIT PROFILES)

CONRAD HOTEL

RIYADH

Orbit Profiles Trading Est

C.R: 1128185715

VAT: 310934736100003



مؤسسة فواصل المدار للتجارة

س.ت: 1128185715

الرقم الضريبي: 310934736100003

Compliance Certificate


TO: CONRAD HOTEL RIYADH

Client: EDSCO

Location: Central Region, KSA

08th Sep 2024

Ref# SECTION 09 30 00 - Tiling Brass Transition strips

| Ref# | Project Specification | Comply Specification | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|---|----------------------|--------|-------------------------------|-------|-------|-----------|---|----|------|----|----|-----------------------|--|--|--|--|----------|------|-----------------|-------|-------|-------|-------|-------|--|--|--------|--|--|--|--|--|--------|
| 6.20 | <p>SECTION SECTION 09 30 00 - Tiling Brass Transition strips</p> <p>C. Metal Edge Strips: Angle or L-shape, height to match tile and setting-bed thickness, metallic or combination of metal and PVC or neoprene base, designed specifically for flooring applications; stainless-steel, ASTM A 666, 300 Series exposed-edge material.</p> <div><table><tr><td colspan="2">PRODECOR DJ</td></tr><tr><td colspan="2">length = 270 cm - pack 20 pcs</td></tr><tr><td>ART.</td><td>finishing</td></tr><tr><td>8</td><td>10</td><td>12.5</td><td>15</td><td>20</td></tr><tr><td colspan="5">CHROMIUM-PLATED BRASS</td></tr><tr><td>PPDESIGN</td><td>DJK/</td><td>chromium plated</td><td>95700</td><td>95702</td><td>95704</td><td>95703</td><td>95705</td></tr><tr><td colspan="2"></td><td>euro/m</td><td colspan="4"></td></tr></table></div> | PRODECOR DJ | | length = 270 cm - pack 20 pcs | | ART. | finishing | 8 | 10 | 12.5 | 15 | 20 | CHROMIUM-PLATED BRASS | | | | | PPDESIGN | DJK/ | chromium plated | 95700 | 95702 | 95704 | 95703 | 95705 | | | euro/m | | | | | <p>SECTION 09 30 00 - Tiling Brass Transition strips</p> <p>Proangle ZK and Producer DJK are two L-shaped profiles in chromium-plated brass, with different section, designed for edging and protecting the external corners of ceramic coverings. Chromium-plated brass stands out for its brilliance and is perfect as decorative element in spaces characterized by elegance and attention to details.</p> <p>COUNTRY OF ORIGIN : ITALY</p> <p>Natural Brass Alloy CW624N UNI EN 12167 These profiles are made by extrusion. The external surface must be protected from scratches and rubbing. They are well-resistant to chemical agents and mechanical stress. On the side on sight surface, brass is nevertheless subject to the oxidation phenomenon that causes a surface patina. When exposed to strong atmospheric humidity or corrosive agents, brass is subject to an elevated rate of oxidation and can present surface stains and spots. Whenever necessary, the initial natural look can be recovered with abrasives or specific polishing products.</p> | Comply |
| PRODECOR DJ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| length = 270 cm - pack 20 pcs | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ART. | finishing | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | 10 | 12.5 | 15 | 20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CHROMIUM-PLATED BRASS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PPDESIGN | DJK/ | chromium plated | 95700 | 95702 | 95704 | 95703 | 95705 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | euro/m | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

جدة، حي النخيل، الطريق الدائري السريع
Jeddah, Al-Nakhil District, Ring Highway

00966 509684433

www.orbitprofiles.com

@orbitprofiles

الرياض - العليا - شارع التخصصي - مقابل يورو مارشيه
Riyadh - Olaya - Takhassusi Street - in front of Euromarche

00966 533366835

Alrajhi Bank | مصرف الراجحي

SA7580000565608010489695

Riyadh Bank | بنك الرياض

SA5220000002124649789940

FOISL MADAR FOR TRADING
OLAYA TAKHASSUSI ST
PO BOX: 12333 RIYADH
SAUDI ARABIA

Warranty

This warranty is strictly linked to the products and billing documents indicated in this document.

Subject to the terms, conditions and limitations stated herein PROFILPAS S.p.A. (hereinafter also referred as "PROFILPAS") provides its warranty to Construction Material Trading Company (hereinafter also referred as the "Customer") for its products named ZN/10, UN/12.S, RC/9/F, 99/T/14, ZBRSN/10 (hereinafter also referred as the "Profiles") accounted in the invoices nn. (...) issued on (...).

1. Subject of Warranty:

1.1 PROFILPAS guarantees that the Profiles will be free from manufacturing defects for a period of five (5) years commencing with the date of issue of the invoices nn. (...) if and only the Profiles are used in compliance with their intended use and installed in accordance with the terms and conditions of PROFILPAS Technical Data Sheet and with the industry standard guidelines that are not in conflict with the said Technical Data Sheet in effect at the time of installation.

1.2 The Customer is responsible for checking the Profiles before their use and installation.

1.3 Any defects or non-conformities of the Profiles must be reported in writing by the Customer to PROFILPAS at the following address (...) within the term of 10 days from the delivery of the Profiles or from the discovery of the defects, otherwise the Customer shall lose its warranty rights.

1.4 This Warranty:

- is valid only for the Customer and is not transferable;
- is limited to the Profiles and is not applicable to the supply of any other PROFILPAS products;
- is specifically and exclusively limited to the repair or replacement of the faulty/not-conforming Profiles with exclusion of any other liability of PROFILPAS.

2. Warranty validity conditions



This Warranty is only valid if all the conditions here-below are met:

- a) all the invoices nn. (...), to which this Warranty refers, have been fully and punctually paid by the Customer;
- b) the defects or non-conformities of the Profiles have been reported in writing by the Customer within the term indicated in point 1.3 here-above;
- c) adequate and proper measures in order to prevent or limit the extent of damages have been promptly adopted by the Customer;
- d) PROFILPAS has been authorized to make an inspection after the notification of the defects/non-conformities of the Profiles;
- e) after the defects/non-conformities were reported, no repairs or restorations were carried out without PROFILPAS's prior written consent.

3. Exclusions

This Warranty is given in lieu of all other warranties, express or implied, and the remedies stated herein are exclusive remedies. PROFILPAS shall not be responsible or liable for any indirect, consequential or incidental damages whatsoever or for aesthetic damages.

In addition this Warranty does not cover damages resulting from or related to:

- a) misuse, abuse, improper installation or operation, lack of reasonable care, unauthorised modification or tampering of the Profiles;
- b) normal wear and tear or other damage (e.g. scratches, discoloration, fading etc.) of the Profiles caused by impacts or accidents or defects resulting from their improper handling and storage;
- c) lack or insufficient maintenance of the Profiles and/or negligence or inexperience of the users of the Profiles;
- d) visual defects or nonconformities of the Profiles apparent prior to the installation;
- e) rust, corrosion or oxidation.


4. Applicable law and Jurisdiction

This Warranty shall be governed by and construed in accordance with the Italian law and any and all claims and disputes, directly or indirectly arising from this Warranty or to the Profiles supplied shall be submitted to the exclusive jurisdiction of the Court of Milan (Italy).

PROFILPAS S.p.A. please

ARCHITECTURAL

PHYSICAL SAMPLES



CONRAD HOTEL

RIYADH

